

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/29/2015

Reviewed on 11/28/2015

1 Identification

- **Product identifier**
- **Trade name:** ER-2100 (PART-A, RESIN) --- sold by Progressive Epoxy as: Corro Coat FC 2100 A (part A)
- **Article number:** ER2100(R)
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Eastern Resins Corporation
820 Hopkins Hill Road
West Greenwich, RI 02817
- **Information department:** Product safety department
- **Emergency telephone number:**
During normal opening times: +1 (401) 769-6700
Chemtel (US transportation) 1-800-255-3924
International (call collect) +01-813-248-0585

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2A H319 Causes serious eye irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- STOT SE 3 H335 May cause respiratory irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Irritant

Irritating to eyes, respiratory system and skin. May cause sensitisation by skin contact.

- **Information concerning particular hazards for human and environment:**
The product has to be labeled due to the calculation procedure of international guidelines.
- **Classification system:**
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**
The product has been classified and marked in accordance with directives on hazardous materials.
- **Code letter and hazard designation of product:**



Irritant

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/29/2015

Reviewed on 11/28/2015

Trade name: ER-2100 (PART-A, RESIN)

(Contd. of page 1)

· **Hazard-determining components of labeling:**

Epoxy Resin - Proprietary
Aromatic Mono-Epoxy-Proprietary

· **Risk phrases:**

Irritating to eyes, respiratory system and skin.
May cause sensitisation by skin contact.

· **Safety phrases:**

Keep out of the reach of children.
Avoid contact with skin and eyes.
Wear suitable gloves.
If swallowed, seek medical advice immediately and show this container or label.
Avoid exposure - obtain special instructions before use.
Dispose of this material and its container to hazardous or special waste collection point.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 1
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = *1
Fire = 1
Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

	Epoxy Resin - Proprietary	50-100%
	Aromatic Mono-Epoxy-Proprietary	2.5-10%
	Fumed Silica	≤ 2.5%
1333-86-4	Carbon black	≤ 2.5%

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/29/2015

Reviewed on 11/28/2015

Trade name: ER-2100 (PART-A, RESIN)

(Contd. of page 2)

- **After swallowing:** *If symptoms persist consult doctor.*
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** *Use fire fighting measures that suit the environment.*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:** *No special measures required.*

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** *Not required.*
- **Environmental precautions:** *No special measures required.*
- **Methods and material for containment and cleaning up:**
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.*
- **Reference to other sections**
*See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.*

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
*Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.*
- **Information about protection against explosions and fires:** *Keep respiratory protective device available.*
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** *No special requirements.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:** *Keep receptacle tightly sealed.*
- **Specific end use(s)** *No further relevant information available.*

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** *No further data; see item 7.*
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** *The lists that were valid during the creation were used as basis.*

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/29/2015

Reviewed on 11/28/2015

Trade name: ER-2100 (PART-A, RESIN)

(Contd. of page 3)

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Viscous Liquid

Color: Light grey

- **Odor:** Aromatic

- **Odour threshold:** Not determined.

- **pH-value:** Not determined.

- **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

- **Flash point:** 251 °C (484 °F)

- **Flammability (solid, gaseous):** Not applicable.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/29/2015

Reviewed on 11/28/2015

Trade name: ER-2100 (PART-A, RESIN)

(Contd. of page 4)

· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure: Not determined.	
· Density at 20 °C (68 °F):	1.35 g/cm ³ (11.266 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water: Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

Aromatic Mono-Epoxy-Proprietary

Oral	LD50	4000 mg/kg (rat)
------	------	------------------

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/29/2015

Reviewed on 11/28/2015

Trade name: ER-2100 (PART-A, RESIN)

(Contd. of page 5)

Irritant

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

13463-67-7	Titanium Dioxide	2B
1333-86-4	Carbon black	2B

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name	
· DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	not regulated
· Packing group	
· DOT, IMDG, IATA	not regulated

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/29/2015

Reviewed on 11/28/2015

Trade name: ER-2100 (PART-A, RESIN)

(Contd. of page 6)

- | | |
|--|-----------------|
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):	
--	--

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):	
--	--

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):	
---	--

13463-67-7	Titanium Dioxide	
------------	------------------	--

1333-86-4	Carbon black	
-----------	--------------	--

· Proposition 65	
-------------------------	--

· Chemicals known to cause cancer:	
---	--

13463-67-7	Titanium Dioxide	
------------	------------------	--

1333-86-4	Carbon black	
-----------	--------------	--

· Chemicals known to cause reproductive toxicity for females:	
--	--

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:	
--	--

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:	
---	--

None of the ingredients is listed.

· Carcinogenic categories	
----------------------------------	--

· EPA (Environmental Protection Agency)	
--	--

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)	
---	--

13463-67-7	Titanium Dioxide	A4
------------	------------------	----

1333-86-4	Carbon black	A4
-----------	--------------	----

· NIOSH-Ca (National Institute for Occupational Safety and Health)	
---	--

13463-67-7	Titanium Dioxide	
------------	------------------	--

1333-86-4	Carbon black	
-----------	--------------	--

· Product related hazard informations:	
---	--

The product has been classified and marked in accordance with directives on hazardous materials.
--

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/29/2015

Reviewed on 11/28/2015

Trade name: ER-2100 (PART-A, RESIN)

(Contd. of page 7)

· **Hazard symbols:**



Irritant

· **Hazard-determining components of labeling:**

Epoxy Resin - Proprietary
Aromatic Mono-Epoxy-Proprietary

· **Risk phrases:**

Irritating to eyes, respiratory system and skin.
May cause sensitisation by skin contact.

· **Safety phrases:**

Keep out of the reach of children.
Avoid contact with skin and eyes.
Wear suitable gloves.
If swallowed, seek medical advice immediately and show this container or label.
Avoid exposure - obtain special instructions before use.
Dispose of this material and its container to hazardous or special waste collection point.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:** Mr. David Viola

· **Date of preparation / last revision** 11/29/2015 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3